



http://www.princeengineeringworks.com

Prince engineering works thus accumulated a greatdeal experience in the manufacturing and trading machines specially for use in building and industrial sector.

OUR CATEGORIES







CONCRETE MIXER WITH HOPPER AND LIFT



TOTAL VOLUME	7 CU.FT
BATCH SIZE	5CU.FT
BAG MIX CAPACITY	1 BAG
BUCKET AND HOPPER CAPACITY	7 CU.FT
STRUCTURE	4"X2" CHANNEL,10 FEET LENGHTH OF EACH
	DIMENSION
STRUCTURE HEIGHT	55 FEET STANDARD&25 FEET EXTENDABLE
DRUM MATERIAL	THICKNESS IN MM
ВОТТОМ	10
SIDE	4
CONE	4
BLADES	2 BLADES
DRIVE	DUAL V-BELT/CHAIN DRIVE
RING GEAR	CAST IRON
BEARINGS	TAPERED ROLLER BEARING
YOKE	FORMED STRUCTURAL CHANNEL
FRAME DESCRIPTION	4"x2" and 5"x2 ½'channel & 2 ½'x5/16"angle.
STANDARD WHEEL	28"dia
ELECTRIC MOTOR CROMPTON	10 HP 3 PHASE
GREAVES	
DIESEL ENGINE KIRLOSKAR	10 HP WATER COOLED OR AIR COOLED

CONCRETE MIXER WITH HOPPER



CAPACITY	10/7 CAPACITY
PRIME MOVER	10 Hp Diesel Engine/ 7.5 ELECTRIC MOTOR
HOPPER A BUCKET	Made Of 10G SHEET
DRUM SPEED	18/20 Rpm
WHEELS	STEEL WHEEL /JEEP TYRES
HANDI YOKE	100 X 50 X 5 Mm C Section M.S. Channel,
CHASSIS	Heavy Duty M.S. 125 X 65 X 6 Mm Channel Chassis
DRIVE	V-Belt (Branded Isi Mark B Section)
MIXING DRUM	MADE BY MS PLATE 10MM AND 8MM
MIXING BLADE	M.S. Blades for Efficient Mixing
DRUM TYPE	Tilting
WIRE ROPE	12Mm.
ENGINE CABIN	16 G (1.6 Mm) Thick
WEIGHT	1200 Kg Approx.
ALL GEAR	Graded casting for long life
HOPPER OPERATION	Mechanical Type

MINI CONCRETEMIXER



DRUM CAPACITY	500L
MOTOR POWER	3-5 HP
DRUM TYPE	TILTING
MATERIAL	MILD STEEL
USAGE	CONSTRUCTION
MOTOR SPEED	2800 RPM
VOLTAGE	220 V
FREQUENCY	50 HZ



CONCRETE MIXERWIT H LIFT

POWER SOURCE	DIESEL ENGINE
BRAND	PRINCE
TYPE OF THE DRUM MIXER	TILTING DRUM MIXER
PORTABLE(Y/N)	YES
POWER	10 HP
AUTOMATIC GRADE	SEMI -AUTOMATIC
CHASSIS MATERIAL	MILD MATERIAL
DRUM MATERIAL THICKNESS	10 MM
HOPPER MATERIAL	MS SHEET
CONCRETE MIXER WITH LIFT	HEAVY
CAPACITY	ONE BAG
ENGINE	10 HP AIR COOLED
WEIGHT	2000KG

CONCRETE MIXER MACHINE



MINIMUM ORDER QUANTITY	1 PIECE
AUTOMATTIC GRADE	AUTOMATIC
MAKE	PRINCE
POWER SOURCE	DIESEL ENGINE
PORTABLE	YES
CHASSIS MATERIAL	MILD STEEL
OUTPUT CAPACITY	480 LITRES
CONDITION	NEW
TYPE OF DRUM MIXER	TITLING DRUM MIXER
BRAND	KIRLOSKAR
MATERIAL	CAST IRON
DRUM CAPACITY	400
CHASSIS	HEAVY DUTY
NUMBER OF TYRES	4
MIXER TYPE	BLADE

HYDRAULLIC MIXER



TOTAL VOLUME	14 CU.FT
BATCH SIZE	10 CU.FT
BAG MIX CAPACITY	2 BAG
DRUM MATERIAL	MS PLATE AND SHEET
BOTTOM	12
SIDE	5
CONE	4
BLADES	3 BLADES
RING GEAR	CAST IRON
FRAME DESCRIPTION	5 X 2 ½ & 6X3 STRUCTURAL CHANNEL & 2 ½ X 3/8 ANGLE
STANDARD	20" DIA
CHARGE HEIGHT	48"
DISCHARGE HEIGHT	27"
OVERALL DIMENSION	110"X93"X115"
DIESEL ENGINE KIRLOSKAR	WATER COOLLED OR AIR COOLED
ELECTRIC MOTOR	7.5 HP
CROMPTON GREAVES	THREE PHASE

BUILDER HOIST



FOUNDATION SIZE	3/5 FT WITH 4 FOUNDATION BOLT
TOWER	4/2 CHANNEL 10FT VIZAG COMANY
SIZE	CROSS ANGLE 40X5
JOINT PLATE	65X10
WINCH MACHINE	3 TYPES OF BREAK: WOOD BREAK LEATHER BREAK DOG LOCK
WIRE ROPE	12MM/14MM USHA MARTIN COMPANY
ELECTRIC MOTOR	10 HP 1440RPM KIRLOSKAR/CROMPTON

MONKEY LIFT



MOTOR	MAGNET BREAK MOTOR 7.5HP 1440RPM 3 PHASE. 6 MONTH WARRANTY FOR MANUFACTURING DEFECT.
GEAR BOX	350KG CAPACITY AND 6 MONTH WARRANTY FOR MANUFACTURING DEFECT.
WIRE ROPE	10MM/12MM USHA MARTIN COMPANY
BUCKET TROLLEY	2 BUCKET TROLLEY WITH WHEEL COMPLETE

WINCH MACHINE



WINCH MACHINE	3 TYPES OF BREAK *WOOD BREAK *LEATHER BREAK *DOG LOCK
WIRE ROPE	12MM/14MM USHA MARTIN COMPANY
ELECTRIC MOTOR	10HP 1440RPM KIRLOSKAR/CROMPTON

ROD LIFTING MACHINE



GEAR BOX	300KG CAPACITY
MOTOR	7.5 HP MAGENET BREAK MOTOR 3 PHASE 1440RPM
CHASSIS	4/2 CHANNEL CHASSIS
WIRE ROPE	10MM/12MM USHA MARTIN COMPANY
STARTER	ELECTRIC STARTER REVERSE &FORWARD

OTHERS



BAR CUTTING MACHINE



BAR BENDING MACHINE



ELECTRIC NEEDLE VIBRATOR

BRICK CUTTING MACHINE



TROLLEY WHEEL1



SLAB TROLEY



TROLLEY WHEEL2


MINI MONKEY LIFT WITH SINGLE PHASE





VIBRATOR TABLE

WIRE ROPE PULLEY WITH BEARING





WALK BEHIND VIBRATOR TABLE



MIXER TYRE



PETROL NEEDLE VIBRATOR



WHEELBARROW



WIRE ROPE PULLEY WITH BEARING

EARTH COMPACTOR



GOGO CLAMP





TOWER CRANE WIRE ROPE



Wire rope



Contact Person: - Prince Sachdeva

Address: 408A Baba Faridpuri West Patel Nagar, New

Delhi-110008

Contact us: +91-9999271627

Email id: bhutani.priyanshi23@gmail.com

Website: http://www.princeengineeringworks.com